

RCRAREp Corrective Action Report

Report run on: January 15, 2016 3:24 PM

Facility Information				
ID / Dist	Name / Location Address ...	County	Regulated Activity	
MID050615921	GRID LOGIC INCORPORATED 1070 CLARK RD LAPEER MI 48446	LAPEER	CG	-----
Current Federal Activities				
Hazardous Waste Conditionally-Exempt Very Small Generator				
Other State Interests				
-State Conditionally Exempt Small Quantity Generator- Generates les				
Permitting/Closure Universes				
Permit Progress (Storage)				
Corrective Action Universes				
Subject to Corrective Action				
TSDF Subject to CA only under Discretionary Authorities				
Previous/Other Site Name				
06/01/12 Notification LAPEER METAL PRODUCTS				
CORRECTIVE ACTION AUTHORITIES				
Authority, Citation / Agency, Staff / Lead Program / etc		Issued	Effective	Revoked
Voluntary CA		05/01/09	05/01/09	
In MI: by EPA GJH Program: - Suborg:				
Other, specified by Legal Authority Citation				
CORRECTIVE ACTION AREAS				
Area Name, Seq# / Releases / Staff / Notes			Facility	Unit
ENTIRE FACILITY (0001)			Yes	
Releases: Air: N GW: Y Soil: N Surface Water: N				
CORRECTIVE ACTION EVENTS				
Event / Agency, Staff / Authority / Covered Areas / Notes		1stSched	NowSched	Actual
CA070NO 001 - DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NOT NECESSARY (HQ)				
In MI: by EPA GJH				05/01/09
Auth'y: Thru EPA effective 05/01/09 Voluntary CA				
Areas: 0001-ENTIRE FACILITY				
Notes: PA/VSI did not recommend any further investigation				
CA075LO 001 - CA PRIORITIZATION-LOW CA PRIORITY (HQ)				
In MI: by EPA FH REB				09/26/92
Areas: 0001-ENTIRE FACILITY				